4: Richter M, G-5 (ca. 1856-1870) 1870 AW5 Coorg AW5

133 The constant action
[132] of the stormy monsoon rains, however, followed by scorching east winds and a burning sun, has greatly affected the surface of the mountains, and a perpetual process of disintegration of the uppermost portions has imparted to them a somewhat rounded appearance, which does not occur, where the atmospheric influences are less severe, and the alternation of temperature less sudden.

The several members of the metamorphic class of rocks of which the Coorg mountains consist may be found in almost every mountain torrent. They are: granular and foliated or stratified granite (gneiss), which consists of quartz, felspar and mica; syenite, a rock of the appearance of ordinary granite, in which however hornblende is substituted for mica, and mica-schist, a slaty rock chiefly composed of mica and
133 quartz sometimes with imbedded garnets. Near Mercara may
• 135 be found clay-slate or argillaceous schist of coarse variety. This consists of silica and alumina, combined with a little iron, magnesia potash and carbon; crystalline limestone is present in the neighbourhood of Bellur near Fraserpet and supplies nearly all the requirements for building purposes in Coorg. Among this limestone, which is dug out from the ground in small earthy lumps like the kunkur in the N. W. Provinces and which is perhaps more properly termed magnesian limestone, nodules of magnesite are occasionally met with.

A ferruginous laterite, composed of silicate of alumina and oxyde of iron, appears sporadically in almost every part of Coorg.

135 The ingredients of all these rocks, which are subject to
134 an unceasing process of decomposition, constitute the nature of the soil all over the country and, as a matter of course, on the predominance of the one or other or several of their constituing parts combined with other conditions depends as elsewhere the fertility or sterility of the ground.

4: Richter M, G-5 (ca. 1856-1870) 1870 AW5 Coorg AW5

Felspar is very common, and yields a rich soil. Veins of it are laid bare along the banks of the Ghat roads. In many places it is reduced to a white powder, the kaolin or porcelain clay, with which marketable chunam is adulterated. Mica is frequently seen, and here and there the roads glitter with its shining scales. After heavy showers the water channels along the sides of roads which had been metalled with syenite, appear covered with a sparkling blackish sand, the hornblende of the decomposed syenite. Common quartz occurs most frequently in small pieces of uncrystalline form. The considerable amount of carbonate of lime in the ashes of the Matti tree, (Terminalia coriacea) a tree largely distributed all over the eastern parts of Coorg, proves the presence of limestone in the soil of that region.

Mines there are none in Coorg, and it would appear, that except traces of iron in the shape of oxydes no metals exist. The gold ore, which a certain adventurer recently claimed to have discovered in Coorg, proved to be only mica embedded in quartz.

Rivers and their course. From the configuration of the country already described, it is evident, that the main drainage of Coorg is in an easterly direction towards the Bay of Bengal; while the mountain torrents of the western declivities of the Ghats flow into the Indian Ocean.

The Coorg rivers are not remarkable either for width or depth, but their water supply is everywhere abundant throughout the year. As their sources are high up in the mountains and their courses over steep declivities, the streams are impelled with great rapidity over generally very rocky beds; which render them almost wholly useless for navigation of any kind, and owing to the height of their banks and the unevenness of the country, few of them allow of artificial irrigation, but the rivulets are everywhere laid under contribution.